







Boundary dimensions (mm)				Bearing numbers
d	D	B	C	
25	52	37	37	DAC255237
25	52	42	42	DAC255242
25	62	25.4	25.4	DAC2562254
28	58	42	42	DAC285842
30	55	32	32	DAC305532
30	60	37	37	DAC306037
30	60.03	37	37	DAC30600337
30	62	38	38	DAC306238
30	64	42	42	DAC306442
34	62	37	37	DAC346237
34	64	37	37	DAC346437
34	66	37	37	DAC346637
35	61.8	40	40	DAC356240A
35	62	40	40	DAC356240B
35	64	37	37	DAC356437
35	65	35	35	DAC356535
35	66	37	37	DAC356637
35	68	37	37	DAC356837
35	68	42	42	DAC356842
35	72.04	34	34	DAC35720434
35	72	33	33	DAC357233
35	72	34	34	DAC357234
35	72	35	20	DAC357235/20
36	68	33	33	DAC366833A
37	68	34	34	DAC376834
37	72	33	33	DAC377233
37	72	37	37	DAC377237
37	72.04	37	37	DAC37720437
38.1	70	37	37	DAC387037
38	70	38	38	DAC387038
38	71	39	39	DAC387139
37.99	72.02	36	33	DAC38720236/33
38	73	40	40	DAC387340

Boundary dimensions (mm)				Bearing numbers
d	D	B	C	
38	74.02	36	33	DAC38740236/33
39	68.07	37	37	DAC39680737
39	72.03	37	37	DAC39720337
39	72.03	37	37	DAC39720337A
39	74	39	39	DAC397439
40	72.03	37	37	DAC40720337
40	74	36	36	DAC407436
40	74	40	40	DAC407440
40	74	42	42	DAC407442
40	75	37	37	DAC407537
40	75	39	39	DAC407539
39/41	75	37	37	DAC39/417537
40	80	36	34	DAC408036/34
42	72	38	35	DAC427238/35
42	72	38	38	DAC427238
42	75	37	37	DAC427537
42	76	38	35	DAC427638/35
42	76	40	37	DAC427640/37
42	80	36	34	DAC428034/36
42	80	37	37	DAC428037
42	80	45	45	DAC428045
42	80.03	42	42	DAC42800342
42	82	36	36	DAC428236
42	82	37	37	DAC428237
42	84	39	39	DAC428439
43	82	45	45	DAC438245
43/45	82	37	37	DAC43/458237
45	83	45	45	DAC458345
45	84	39	39	DAC458439
45	84	41	39	DAC458439/41
45	84	42	40	DAC458442/40
48	86	40	40	DAC488640







Boundary dimensions (mm)				Bearing numbers
d	D	B	C	
50	90	34	34	DAC509034
25	52	20.6	20.6	DAC2552206
25	52	43		DAC255243
25	55	43		DAC255543
25	56	32		DAC255632
25	72	43		DAC257243
27	60	50		DAC276050
30	65	21		DAC306521
30	68	45		DAC306845
30	72	30.2		DAC3072302
32	70	38		DAC327038
32	72	45		DAC327245
34	64	34		DAC346434
35	66	32		DAC356632
35	66	33		DAC356633
34.99	68.02	33	30	DAC35680233/30
35	72.02	28		DAC35720228
35	72.04	33		DAC35720433
35	72.02	33	31	DAC35720233/31
36	72.05	34		DAC36720534
37	72.02	37		DAC37720237
37	74	45		DAC377445
38	71.02	33	30	DAC38710233/30
38	72	34		DAC387234
38	72	40		DAC387240
38	72	36	33	DAC387236/33
38	74	50		DAC387450
39	68.06	37		DAC39680637
39	72.06	37		DAC39720637
40	72	36	33	DAC407236/33
40	74	36	34	DAC407436/34
40	76	33		DAC407633

Boundary dimensions (mm)				Bearing numbers
d	D	B	C	
40	76	33	28	DAC407633/28
40	76	41	38	DAC407641/38
40	80	30.2		DAC4080302
40	80	31		DAC408031
40	82	40		DAC408240
40	84.03	38		DAC408402538
42	76	39		DAC427639
42	80	42		DAC428042
42	84	36		DAC428436
43	79	41	38	DAC437941/38
43	80	38		DAC438038
43	80	50	45	DAC438050/45
43/45	85	37		DAC43/458537
44	82.5	37		DAC44825037
45	80	45		DAC458045
45	85	23		DAC458523
45	85	30.2		DAC4585302
45	85	41		DAC458541
49	84	48		DAC498448
49	88	46		DAC498846
49	90	46		DAC499046
40	108	17	32	DAC4010817/32





Boundary dimensions (mm)				Bearing numbers
d	D	B	C	
25	52	37	37	DU255237
25	52	43	43	DU255243
25	52	45	45	DU255245
25	53	37	37	DU295337
30	55	56	56	DU305556
30	69	46	38	DU306946/38
34.93	65.09	55.37	55.37	3896996A
40	80	45	44	DU408044X2
42	76	39	39	DU427639
47	88	57	57.5	DU478857/57.5
49	84	48	48	DU498448
54	96	51	51	DU549651



Boundary dimensions (mm)									Bearing numbers
d	F	B	T	G	K	H	I	J	
25	139	37	80	114	58	16	49.3	8	DACF251393780
25	133	43	73.4	108	71	19.4	54	12.3	DACF251334373
25	133	43	73.4	100	78	19.4	54	12	DACF251334373A
25	133	43	77.5	108	67	19.5	54	13	DACF251334378
26	131	66	37	108	78	21	66	10	DACF261316637
27	134	40	60	100	64.3	15	45	10.5	DACF271344060
27	134	50	67.5	100	64	15	52.5	9	DACF271345068A
27	134	50	67.5	100	64	15	52.5	11	DACF271345068
27	148	50	68	114	64	15.5	52.5	11.5	DACF271485068
27	148	55	73	114	64	15.5	57.5	11.5	DACF271485573
27	148	55	73	114	64	15.5	57.5	11.5	DACF271485573A
28	120	39	63.5	100	67.9	20	40	10.5	DACF028G
28	120	39	63.5	100	69.5	20	41.5	10.5	DACF281203964
28	120	40	55.5	100	63	6	49.5	9	DACF281204055
28	120	40	55.5	100	63	6	49.5	9	DACF281204055A
28	126	48	70.5	100	65	14	65.5	10	DACF281264871
28	127	82.5	37	100	72	19	59	10	803640BB
28	-	42	52	97	66.2	-	52	7.5	DACF280004252
28	130	44	57	100	67	14	51.5	10	DACF281304457
28	134	40	61	100	66	11.5	49.5	9	DACF281344061
28	134	40	67.5	114	63	18	49.5	9	DACF281344068
28	134	45	65.5	100	62.4	11.6	54	11.6	DACF281344566
28	135	47	70.7	100	68.5	11.7	59	8	DACF281354771
28	135	40	62.8	100	68.5	10.3	49.5	9	DACF281354063
28	139	38	64.5	114	70	14	50.5	9	DACF281393865
28	140	38	64.5	100	70	14	50	10	DACF281403865
28	140	48	70.5	114	63	14	50.5	9	DACF281404871
28	141	50.5	71	100	66.6	14	57	10.5	DACF281415171
30	-	42	-	99	68.2	-	51.8	7.5	DACF300004200
30	-	42	-	99	72	-	58.8	7.5	DACF300004200
30	-	42	-	99	73.6	-	51.8	7.5	DACF300004200A
30	-	42	52	99	72	-	52	7.5	DACF300004252
30	108	50	54	90	68	10	44	10	DACF301085054
30	117	37	56.2	98	62.5	6	43.2	10	DACF301173756
30	117	37	61.3	98	71.8	17	44.3	11	DACF301173761
30	117	37	61.6	98	66.5	17	44.6	11	DACF301173762



Boundary dimensions (mm)									Bearing numbers
d	F	B	T	G	K	H	I	J	
30	120	37	61.5	100	69.5	19	41	10.5	800179
30	120	37	61.5	100	69.5	19	41	10.5	800179B
30	120	37	63.5	100	69.5	19	44.5	10.5	DACF301203764
30	120	47	69	100	65	13.3	56	5	DACF301224769
30	122	46	70	100	67	14	56	10	DACF301224670
30	122	47	59.5	100	68	13.5	56	8	DACF301224760
30	125	50	70.5	100	68.9	14	56.5	10	DACF301255071
30	126	59	79	100	65.5	14.5	62.5	10	DACF301265979
30	130	43	65	108	77	12.5	52.5	13	DACF301304365
30	139	59	68	114	69.6	12.5	56	12.5	DACF301395968
30	131	43	71.3	108	76	19	51	13.5	DACF301314371
30	136	40	66	100	68.5	11.5	54.5	8	DACF301364066
30	136	41	66.5	100	68.5	11.5	55	8	DACF301364166
30	139	56	67.5	100	66	11.5	56.5	9	DACF301395668
30	140	50	70.5	114	68.9	14	56.5	9	DACF301405071
30	142	55	82	114	68	14	62	12.5	DACF301425582
30	148	48	64.5	100	72	15.5	49	12	DACF301484865
30	148	48	64.5	114	72.8	15.5	49	12	DACF301484865A
30	148	48	66.7	114	68	17.7	48.9	9.5	DACF301484867
30	148	48	66.7	114	68	17.7	48.9	9.5	DACF301484837A
30	151	59	68	105	69.5	12.2	55.9	10.5	DACF301515968
30	152	41	67.5	114	67	11.5	56	9.5	DACF301524168
30	152	50	56	114	67	14.5	56	9.3	DACF301525056
31	120	40	61	100	73.8	19	42	12	DACF311204061
32	139	45	65	114	74	14	64.5	9	DACF321394565
40	126	43	43	106	84	16.4	26.5	10	DACF401264343
49	126	50	50	110	92	12	38	10	DACF491265050

Gen 2 wheel hub bearing (tapered roller bearing)




d	Boundary dimensions (mm)								Bearing numbers
	F	B	T	G	K	H	I	J	
31	120	41	61	100	72	19	42	12.5	DACF311204161A
32	128	34	58.2	108	80	16	42.2	12.5	DACF321283458
32	129	38	59.3	108	76.2	17	42.3	12	DACF321293859
32	128	38	59	108	78	17	42	11	DACF321283859
33	140	47	71.2	114	77	14	54.7	9	DACF331404771
34	139	42	64.5	114	74	14	50.5	9	DACF344394265
34	140	42	70	114	75	15	55	9	DACF341404270
35	137	45	74	110	81	25	49	12	DACF351374574
35	137	45	69.5	108	81	20.5	49	12	DACF351374570
36	140	50	71	114	79	14	57	11	DACF361405071
37	139	45	64	120	84	19	45	11	DACF371394564
37	139	45	64	120	80	19	45	11	DACF371394564A
37	139	45	64	120	80	19	45	11	DACF371394564B
37	139	45	64	120	81.6	19	45	11	DACF371394564C
38	147	52	77	114	76.8	15	62	9	DACF381475277
43	∅	44	44	102	86	16.5	27.5	15	DACF430004444
45	124	41	41	106	88	3.8	37.2	10.5	DACF451244141

Gen 3 wheel hub bearing



Gen 3 drive wheel bearing



Gen 3 non-drive wheel bearing

A	Boundary dimensions (mm)						Bearing numbers
	B	C	D	E	F	G	
131	112	68	57	—	70	95	DAC2F57R551
148	114	76	67	66	59	100	DAC2F66R7402
150	115	70.1	70.7	71.8	65	101	DAC2F72R4501A
135	100	55	54	67	54.5	92	DAC2F67R4403A
135	100	55	54	67	54.5	92	DAC2F67R4403B
135	100	55	54	67	54.5	92	DAC2F67R4403C
135	100	55	54	67	54.5	92	DAC2F67R4403D
135	100	55	54	74	54	93	DAC2F74R4404B
145	114	55	54	74	54	93	DAC2F74R4509
136	109	67.9	64.3	83.5	43	103	DAC2F84F6407
135	100	55	54	74	60	95	DAC2F74R4408
139	114	60	56.5	90	37	114	DAC2F90F5305A
146	114	73.3	70	90	42	116	04593450AA
132	108	68	68	84	40.1	106	DAC2F84F4512
129	108	68	68	69	61	90	DAC2F69R4511
139	114	60	56.5	66	63	85.9	DAC2F66R4413A
140	114	62	60	72	105	60	DAC2F72R4960A
139	115	70.5	70	90	42	116	DAC2F90F5314A
139	114	69	67	84	58.5		DAC2F84F4521D
148	114.3	76	67	85	48		DAC2F87R4522A
140	108	62	54	70	58		DAC2F71R4573A
135	106	55	54	67	55.4		DAC2F67R4484BAC
142	110	69	67	84	58.5		DAC2F84F4551D
142	114.3	76	67	73	59		DAC2F73R4550A
129	108	71.05	65	76	57		DAC2F80R4558BA
134	108	65.5	60	65	59.2		DAC2F65R4594A
138	108	62	60	84	69		DAC2F84R4559BA